A. System Overview

C. Fiber Optic

Copper Systems

D. Power

over Ethernet F.

Zone Cabling

F. Wireless

G. Outlets

H. Media Distribution

I. Physical Infrastructure Management

J. Overhead & Underfloor Routing

K. Surface Raceway

L.
Cabinets,
Racks &
Cable
anagement

M. Grounding &

rounding & Bonding

N. Industrial

0. Labeling & Identification

Cable Management Accessories

Q. Index

Table continued on next page

4x4 FiberRunner® QuikLock™ Coupler

- Pre-assembled to provide fast mechanical assembly of components
- No tools required for installation; bolts loosen for component disassembly



Part Number	Part Description	Std. Pkg. Qty.	Ctn.
FRBC4X4YL	Pre-assembled coupler quickly joins two sections of channel and/or fittings. Mechanically attaches without tightening bolts. Bolts release using 3/8" nut driver to allow coupler to be removed if necessary.	1	5

For a bulk package of 20 couplers, order FRBC4X4YL-E. For other colors replace suffix YL (Yellow) with OR (Orange) or BL (Black).

4x4 FiberRunner® System Fittings

- Minimum 2" (50.8mm) bend radius control fittings
- Protects against signal loss and performance degradation
- Assemble using FRBC QuikLock[™] Couplers
- · Optional split covers snap onto each fitting
- Covers feature 3/4" (19mm) gap to allow cable to be laid in









Part Number	Part Description	Couplers Required	Std. Pkg. Qty.	
4x4 Horizontal Ri	ght Angle Fitting			
FRRA4X4YL	Attaches to 4x4 channel and/or fitting to create a 90° horizontal turn from a straight horizontal run. Accepts optional split cover FRRASC4YL.	(2 pcs.) FRBC4X4YL	1	5
Split Cover for 4x	4 Horizontal Right Angle Fitting			
FRRASC4YL	Optional split cover for the horizontal right angle fitting FRRA4X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
4x4 Horizontal 45	° Angle Fitting			
FRH454X4YL	Attaches to 4x4 channel and/or fittings to create a 45° horizontal turn from a straight horizontal run. Accepts optional split cover FRH45SC4YL.	(2 pcs.) FRBC4X4YL	1	5
Split Cover for 4x	4 Horizontal 45° Angle Fitting			
FRH45SC4YL	Optional split cover for the horizontal 45° angle fitting FRH454X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5

For other colors replace suffix YL (Yellow) with OR (Orange) or BL (Black).

PHYSICAL INFRASTRUCTURE SYSTEMS

B. Copper Systems

C. Fiber **Optic** Systems

D. Power over **Ethernet**

E. Zone Cabling

Wireless

Outlets

H. Media Distribution

ı. Physical Infrastructure Management

Overhead & Underfloor Routing

> Surface Raceway

Cabinets, Racks & Cable Management

Grounding & Bonding

> N. Industrial

0. Labeling & Identification

Cable Management Accessories

> Q. Index

4x4 FiberRunner® System Fittings (continued)



FRT4X4



FRTSC4



FRFWC4X4



FRFWCSC4



FREC4X4



FRIVRA4X4



FRIV454X4



Part Number	Part Description	Couplers Required	Std. Pkg. Qty.	
4x4 Horizontal Te	e Fitting			
FRT4X4YL	Attaches to 4x4 channel and/or fittings to create a 90° horizontal branch from straight horizontal runs. Accepts optional split cover FRTSC4YL.	(3 pcs.) FRBC4X4YL	1	5

Split Cover for 4x4 Horizontal Tee Fitting

Split Cover for 47	4 nonzoniai iee riiling			
FRTSC4YL	Optional split cover for the horizontal tee fitting FRT4X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5

4x4 Four Way Cross Fitting

•					
FRFWC4X4YL	Attaches to 4x4 channel and/or fittings to create a horizontal four way cross intersection. Accepts optional split cover FRFWCSC4YL.	(4 pcs.) FRBC4X4YL	1	5	

Split Cover for 4x4 Four Way Cross Fitting

opin ooron ioi ix	in our may order many			
FRFWCSC4YL	Optional split cover for the four way cross fitting FRFWC4X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5

4x4 End Cap Fitting

	3			
FREC4X4YL	Used for closing off open ends of the channel or fittings. No coupler required. Push-on installation.	_	1	5

4x4 Inside Vertical 90° Angle Fitting

	3 3			
FRIVRA4X4YL	Attaches to 4x4 channel and/or fittings to create a 90° upward angle from a straight horizontal run. Used with outside vertical 90° angle fitting FROVRA4X4YL to change level of a straight horizontal run. Includes split cover.	(2 pcs.) FRBC4X4YL	1	5

4x4 I	nside Vertica	ıl 45° Angle Fitting			
FRIV	/454X4YL	Attaches to 4x4 channel and/or fittings to create a 45° upward angle from a horizontal run. Used with outside vertical 45° angle fitting FROV454X4YL to change level of a straight horizontal run. Includes split cover.	(2 pcs.) FRBC4X4YL	1	5

4x4 Outside Vertical 45° Angle Fitting

TAT Outoide Forti	our 40 Angle I Rung			
FROV454X4YL	Attaches to 4x4 channel and/or fittings to create a 45° downward angle from a horizontal run. Used with inside vertical 45° angle fitting FRIV454X4YL to change level of a straight horizontal run. Accepts optional split cover FROV45SC4YL.	(2 pcs.) FRBC4X4YL	1	5

For other colors replace suffix YL (Yellow) with OR (Orange) or BL (Black).

A. System Overview

> B. Copper Systems

C. Fiber Optic Systems

D. Power over Ethernet

E. Zone Cabling

F. Wireless

G. Outlets

Media Distribution

I. Physical Infrastructure Management

J. Overhead & Underfloor Routing

> K. Surface Raceway

L. Cabinets, Racks & Cable Management

M. Grounding & Bonding

N. Industrial

0. Labeling & Identification

P. Cable Management Accessories

> Q. Index

4x4 FiberRunner® System Fittings (continued)



Part Number	Part Description	Couplers Required	Std. Pkg. Qty.	Ctn
Split Cover for 4x	4 Outside Vertical 45° Angle Fitting			
FROV45SC4YL	Optional split cover for the outside vertical 45° angle fitting FROV454X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
4x4 Outside Verti	cal Right Angle Fitting			
FROVRA4X4YL	Attaches to 4x4 channel and/or fittings to create a 90° vertical turn down from a straight horizontal run. Accepts optional split cover FROVRASC4YL.	(2 pcs.) FRBC4X4YL	1	5
Split Cover for 4x	4 Outside Vertical Right Angle Fitting			
FROVRASC4YL	Optional split cover for the outside vertical right angle fitting FROVRA4X4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
6x4 to 4x4 FiberF	Runner® Reducer Fitting			
FRRF6FR4YL	Attaches any 6x4 FiberRunner® Fitting or Channel to any 4x4 FiberRunner® Fitting or Channel. Accepts split cover FRRF6FR4SCYL.	(1 pc.) FRBC6X4YL (1 pc.) FRBC4X4YL	1	5
Split Cover for 6x	x4 to 4x4 FiberRunner® Reducer Fitting			
FRRF6FR4SCYL	Optional split cover for the 6x4 FiberRunner® to 4x4 FiberRunner® Reducer Fitting FRRF6FR4YL. Snap-on feature allows cover to be installed and removed with no tools required. Creates radiused 3/4" (19mm) opening for easy access to add or remove cables.	_	1	5
4x4 FiberRunner	to 2x2 Reducer Fitting with Cover			
FRRF4FD2YL	Attaches any 4x4 FiberRunner® Fitting or Channel to the 2x2 Fiber-Duct™ Channel, S2X2YL6 or E2X2YL6 or 2x2 FiberRunner® Channel, HS2X2YL6 or H2X2YL6. Note: Attachment to 2x2 FiberRunner® Channel requires a QuikLock™ Coupler FBC2X2YL. Includes solid cover.	(1 pc.) FRBC4X4YL	1	5
4x4 FiberRunner	ື to 4x4 Fiber-Duct™ Reducer Fitting with Co	ver		
FRRF4FD4YL	Attaches any 4x4 FiberRunner® Fitting or Channel to the 4x4 Fiber-Duct™ Channel, S4X4YL6 or	(1 pc.) FRBC4X4YL	1	5

FRRF6FR4SC

FRRF4FD2



FRRF4FD4

For other colors replace suffix YL (Yellow) with OR (Orange) or BL (Black).

E4X4YL6. Includes solid cover.